

In the claims:

The following replaces any and all previously pending claims.

1. (Currently Amended) A modified IgG comprising a modified hinge region containing one or more amino acid ~~modifications~~ substitutions at ~~a position corresponding to from position 233, 234, 235, 236, 237 or 239 to position 239~~ of human IgG1 ~~relative to a corresponding wild-type hinge region, as numbered according to the EU index as in Kabat, and/or an amino acid modification substitution at a residue corresponding to position 249 of a human IgG1 heavy chain, as numbered according to the EU index as in Kabat,~~ said modified IgG exhibiting reduced degradation of said modified IgG upon heating to 55°C for one week ~~than~~ as compared to a corresponding wild-type IgG not comprising said one or more amino acid modifications substitutions.

2. (Original) The modified IgG of claim 1 which is an IgG1.

3. (Canceled)

4. (Currently Amended) The modified IgG of claim 1 which is an IgG2; or an IgG3 or IgG4.

5. – 7. (Canceled)

8. (Original) The modified IgG of claim 1 which is humanized.

9. (Original) The modified IgG of claim 1 which is human.

10. – 18. (Canceled)

19. (Currently Amended) A pharmaceutical composition comprising the modified IgG of ~~any of~~ claim 1 and a pharmaceutically acceptable carrier.

20. (Original) The pharmaceutical composition of claim 19 which is a liquid formulation.

21. (Original) The pharmaceutical composition of claim 20 which is formulated for parenteral, subcutaneous, intravenous, intramuscular, intranasal, or pulmonary delivery.

22. (Currently Amended) The pharmaceutical composition of claim 20 wherein said IgG is stable at ambient temperature for at least 1 year as determined by high-performance size exclusion chromatography (HPSEC).

23. (Original) The pharmaceutical composition of claim 20 wherein said IgG is stable at 40°C for at least 100 days as determined by HPSEC.

24. (Original) The pharmaceutical composition of claim 20 wherein said IgG is stable at 4°C for at least 3 years as determined by HPSEC.

25. (Original) The pharmaceutical composition of claim 20 wherein said IgG is stable at 4°C for 3-5 years as determined by HPSEC.

26. (Original) The pharmaceutical composition of claim 20 wherein said IgG is stable at 4°C for at least 5 years as determined by HPSEC.

27. – 42. (Canceled)

43. (New) The modified IgG of claim 2, wherein the substitution at position 233 is a substitution with alanine, arginine, asparagine, aspartic acid, glutamic acid, glutamine, glycine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, proline, serine, threonine, tryptophan, tyrosine, or valine.

44. (New) The modified IgG of claim 2, wherein the substitution at position 234 is a substitution with alanine, arginine, asparagine, cysteine, glutamic acid, glutamine, glycine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, proline, serine, threonine, tryptophan, tyrosine, or valine.

45. (New) The modified IgG of claim 2, wherein the substitution at position 235 is a substitution with alanine, arginine, asparagine, aspartic acid, cysteine, glutamic acid,

glutamine, glycine, histidine, isoleucine, leucine, methionine, phenylalanine, proline, serine, threonine, tryptophan, tyrosine, or valine.

46. (New) The modified IgG of claim 2, wherein the substitution at position 236 is a substitution with alanine, arginine, asparagine, aspartic acid, cysteine, glutamic acid, glutamine, glycine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, proline, serine, tryptophan, tyrosine, or valine.

47. (New) The modified IgG of claim 2, wherein the substitution at position 237 is a substitution with alanine, arginine, asparagine, aspartic acid, cysteine, glutamic acid, glutamine, glycine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, proline, serine, threonine, tryptophan, tyrosine, or valine.

48. (New) The modified IgG of claim 2, wherein the substitution at position 239 is a substitution with alanine, arginine, asparagine, aspartic acid, cysteine, glutamic acid, glutamine, glycine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, proline, serine, tryptophan, tyrosine, or valine.

49. (New) The modified IgG of claim 2, wherein the substitution at position 249 is a substitution with valine or isoleucine.

50. (New) The modified IgG of claim 1 which is an IgG4.

51. (New) The modified IgG of claim 50, wherein the substitution at position 236 is a substitution with proline.